

1

2

3

4

A

A

B

B




C

C

D

D

REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED




* Applicable size of IC package : IC body size 10.0 x 10.0 mm
IC outer size 12.0 x 12.0 mm

IC package	Square
Pin count	44Pin
Lead pitch	0.8mm

DRAWING NOT TO SCALE

ALL DIMENSIONS ARE IN MILLIMETERS

 www.adapters.com	adapters.com <i>An Embedded Systems Solutions Company</i>		
	DESCRIPTION: BASE-YQ-044Q8-EM-CVR		
TEL:(408)855-8527 FAX:(408)855-8528 3024 Scott Blvd. Santa Clara, CA 95054	SIZE A	DATE: 12-10-01	PART NO. 000-2068-00
	SCALE 1:1	CHECKED: Gabor Kardos	DRAWN BY: S. Barcellos
			REV SHEET



1

2

3


4

Recommended a PWB layout of TQSOCKET/YQSOCKET044SA Series



Part No.	TQ/YQ044SA, YQ044SA132	
IC package	Square	
Pin count	44	
Unit : mm	Design : M.H	
TET TOKYO ELETECH CORP.		

Recommended a PWB layout of TQSOCKET/YQSOCKET044SA Series



NOTES:


*1 \oplus mark is through hole.

The diameter is 0.5mm after plating copper on the hole.

*2 TQSOCKET guide pin hole and location.

*3 YQSOCKET guide pin hole and location.

*4 Screw hole and location for fastening TQSOCKET.



Part No.	TQ/YQ044SA	
IC package	Square	
Pin count	44Pin	
Lead pitch	0.8mm	
Unit : mm	Design : M.H	
TET TOKYO ELETECH CORP.		