

1

2

3

4

A

A

B

B




C

C

D

D


REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED



IC package	Square
Pin count	64Pin
Lead pitch	0.65mm

DRAWING NOT TO SCALE

ALL DIMENSIONS ARE IN MILLIMETERS

 <a href="http://www.adapters.com">www.adapters.com</a>	<b>adapters.com</b> <i>An Embedded Systems Solutions Company</i>		
	DESCRIPTION: BASE-YQ-064Q65-EM-CVR		
TEL:(408)855-8527 FAX:(408)855-8528 3024 Scott Blvd. Santa Clara, CA 95054	SIZE <b>A</b>	DATE: 12-10-01	PART NO. <b>000-2116-00</b>
SCALE 1:1	CHECKED: Gabor Kardos	DRAWN BY: S. Barcellos	REV SHEET



1

2

3


4

# Recommended a PWB layout of TQSOCKET/YQSOCKET064SB Series




Part No.	<b>TQ/YQSOCKET064SB</b>	
IC package	Square	
Pin count	64	
Unit : mm	Design : M.H	
<b>TET</b> TOKYO ELETECH CORP.		

# Recommended a PWB layout of TQSOCKET/YQSOCKET064SB Series



**NOTES:**

- \*1 mark is through hole.  
The diameter is 0.5mm after plating copper on the hole.
- \*2 TQSOCKET guide pin hole and location.
- \*3 YQSOCKET guide pin hole and location.
- \*4 Screw hole and location for fastening TQSOCKET.



Part No.	<b>TQ/YQ064SB</b>	
IC package	Square	
Pin count	64Pin	
Lead pitch	0.65mm	
Unit : mm	Design : M.H	
<b>TET</b> TOKYO ELETECH CORP.		