

1

2

3

4

A

B

C

D




A

B

C

D


REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED



IC package	Square
Pin count	64Pin
Lead pitch	0.8mm

**DRAWING NOT TO SCALE**

**ALL DIMENSIONS ARE IN MILLIMETERS**

 <a href="http://www.adapters.com">www.adapters.com</a>	<b>adapters.com</b> <i>An Embedded Systems Solutions Company</i>		
	DESCRIPTION: <b>BASE-YQ-064Q8-EM-CVR</b>		
TEL:(408)855-8527 FAX:(408)855-8528	SIZE <b>A</b>	DATE: <b>12-10-01</b>	PART NO. <b>000-2119-00</b>
3024 Scott Blvd. Santa Clara, CA 95054	SCALE <b>1:1</b>	CHECKED: <b>Gabor Kardos</b>	DRAWN BY: <b>S. Barcellos</b>
			REV SHEET



1

2

3


4

## Recommended a PWB layout of TQSOCKET/YQSOCKET064SA Series




Part No.	<b>TQ/YQSOCKET064SA</b>	
IC package	Square	
Pin count	64	
Unit : mm	Design : M.H	
<b>TET</b> TOKYO ELETECH CORP.		

# Recommended a PWB layout of TQSOCKET/YQSOCKET064SA Series



## NOTES:


\*1  mark is through hole.

The diameter is 0.5mm after plating copper on the hole.

\*2 TQSOCKET guide pin hole and location.

\*3 YQSOCKET guide pin hole and location.

\*4 Screw hole and location for fastening TQSOCKET.



Part No.	<b>TQ/YQ064SA</b>	
IC package	Square	
Pin count	64Pin	
Lead pitch	0.8mm	
Unit : mm	Design : M.H	
<b>TET</b> TOKYO ELETECH CORP.		