



4-  $\varnothing 1.3$   
 A projection  
 height : 1.8mm




**BOTTOM VIEW**



Part No.	<b>TQPACK064SB</b>	
IC package	Square	
Pin count	64Pin	
Lead pitch	0.6mm	
Unit : mm	Design : M.H	
<b>TET</b> TOKYO ELETECH CORP.		

# Recommended a PWB layout of TQSOCKET/YQSOCKET064SB Series



**NOTES:**


\*1 mark is through hole.

The diameter is 0.5mm after plating copper on the hole.

\*2 TQSOCKET guide pin hole and location.



\*3 YQSOCKET guide pin hole and location.

\*4 Screw hole and location for fastening TQSOCKET.




Part No.	<b>TQ/YQ064SB</b>	
IC package	Square	
Pin count	64Pin	
Lead pitch	0.65mm	
Unit : mm	Design : M.H	
<b>TET</b> TOKYO ELETECH CORP.		

# Recommended a PWB layout of TQSOCKET/YQSOCKET064SB Series



Part No.	<b>TQ/YQSOCKET064SB</b>	
IC package	Square	
Pin count	64	
Unit : mm	Design : M.H	
<b>TET</b> TOKYO ELETECH CORP.		

# Recommended a Footprint pattern of TQPACK064SB



Part No.	<b>TQPACK064SB</b>	
IC package	Square	
Pin count	64Pin	
Lead pitch	0.65mm	
Unit : mm	Design : M.H	
<b>TET</b> TOKYO ELETECH CORP.		