



4- Ø1.3  
A projection  
height : 1.8mm




BOTTOM VIEW




Part No.	<b>TQPACK080RA</b>	
IC package	Rectangle	
Pin count	80Pin	
Lead pitch	0.8mm	
Unit : mm	Design : M.H	
<b>TET</b> TOKYO ELETECH CORP.		

# Recommended a Footprint pattern of TQPACK080RA




Part No.	<b>TQPACK080RA</b>
IC package	Rectangle
Pin count	80Pin
Lead pitch	0.8mm
Unit : mm	Design : M.H
<b>TET</b> TOKYO ELETECH CORP.	

# Recommended a PWB layout of TQSOCKET/YQSOCKET080RA Series




Eye Point



Part No.	<b>TQ/YQSOCKET080RA</b>	
IC package	<b>Rectangle</b>	
Pin count	<b>80</b>	
Unit : mm	Design : M.H	
<b>TET</b> TOKYO ELETECH CORP.		

# Recommended a PWB layout of TQSOCKET/YQSOCKET080RA Series



## NOTES:


\*1  $\oplus$  mark is through hole.

The diameter is 0.5mm after plating copper on the hole.

\*2 TQSOCKET guide pin hole and location.

\*3 YQSOCKET guide pin hole and location.

\*4 Screw hole and location for fastening TQSOCKET.



Part No.	<b>TQ/YQ080RA</b>	
IC package	Rectangle	
Pin count	80Pin	
Lead pitch	0.8mm	
Unit : mm	Design : M.H	
<b>TET</b> TOKYO ELETECH CORP.		